



SRK[®]
VENEER & PLYWOOD

srkimpexldh@gmail.com

+91-9815491918 I +91-9779459106

SRK IMPEX LUDHIYANA & YAMUNA NAGAR



Created With
Perfection



SRK[®]
VENEER & PLYWOOD

Welcome to SRK IMPEX

From the modest beginning as a timber industry to a leading manufacturer of wood panel products, our company has come a long way heralding new vistas towards attaining "Perfection" SRK Impex has carved a niche for itself because of its commitment to "Quality, Innovation and Customer satisfaction".

The company is managed by its directors having more than 5 decades of experience in timber and plywood business. Its manufacturing plant is equipped with the "State of the art" machines and strictly adheres to the quality specifications both at national and international levels. Total quality management is the basic mantra and its highly trained manpower is dedicated towards its attainment so that you get the best quality of products.

We have our laboratory equipped with most modern testing facilities to assess all physical and chemical properties of products prior to dispatch. Product portfolio includes plywood, marine plywood, decorative plywood, block board, Flush Door, Skin door, film face plywood, chequered plywood, truck/bus flooring, fire retardant plywood, dye casting plywood & other wood panel products.

PRODUCT RANGE

▣ BASE PLY

▣ KERUING PLYWOOD

▣ TEAK PLY

▣ FLEXIBLE PLY

▣ FACE VENEER

▣ SHUTTERING PLY



BASE PLY

SRK IMPEX base ply are used without torches, open flames, hot asphalt, or solvent-based adhesives and are suitable for many primed substrates. SRK IMPEX Base Ply Sheet is a self-adhering roofing membrane designed to be used as either a base sheet or a ply sheet in your modified bitumen roofing system, providing long-lasting protection for low-slope roofs.

KERUING PLYWOOD

Keruing plywood is a hardwood ply with an attractive and even, but open, grain. It is widely used in joinery, linings and cabinetry (including vanities and bar tops). Keruing is an even light brown and looks fantastic when lacquered. Keruing is one the most consistent plywoods in colour — from sheet to sheet, giving a consistent medium brown colour, making it easier to match the sheets across a job



TEAK PLY

Featuring all the grandeur of the finest quality of teak wood, SRK IMPEX TEAK PLY is made by using the best teak veneers sourced from different parts of India. SRK IMPEX TEAK PLY exudes the natural glow and warmth of golden teak wood. It can be polished according to individual choice and with wood-working, it can transform any interior decor into a work of art.



FLEXIBLE PLY

SRK IMPEX FLEXIBLE PLY can be moduled and bent into any shape without chipping, cracking, peeling or staining. It can be stained, painted, plastered or veneered. It's bend radius is 25mm at 4mm thickness, hence making it ideal for tight radius work. SRK IMPEX FLEXIBLE PLY is available from 3-16 mm. SRK IMPEX FLEXIBLE PLY is a rare combination of beauty, utility and longevity to give you more than your money's worth.



FACE VENEER



Checking of face veneers is a phenomenon that has been prevalent in the plywood industry since its inception. Basically, it is caused by loss of moisture in the face veneer resulting in shrinkage of this component. As the dimensions of the veneer change, stresses are set up between the face and the core. Actually such stresses are nothing more than a restraining action of the more stable core. When these forces reach the point where they exceed the structural strength of the veneer, a rupture of the fiber takes place. This, in effect, appears as a "check" or "split" on the surface. These checks naturally follow the weak zones such as lathe checks, pores or splices in the veneer.



WHY ?



Gap Free Plywood



Glure Line Protection



**No Bending
180 Degree Flat**

This Shuttering Ply is a blend of durability and longevity. It is manufactured by veneering attentively and cautiously, the selected hardwood timber and is bonded with specially formulated superior quality Phenol formaldehyde synthetic resin (as per IS : 848:2006). In the next phase it is compressed in the hydraulic hot presses with high pressure and temperature to make the bonding strong and in-seperable. This Shuttering Ply is functional in all kinds of factories and buildings, sewer construction, construction of swimming pool, beams and every construction and foundation job.